

aprilia®

aprilia®


SR

ignite the action



EMEA MKT OPPORTUNITY

The Aprilia customers recognizes credibility, experience and technology to the brand, thanks to the MotoGP circuits and off-road races





SR 125

APRILIA SR 125

Sporty way to face the daily adventures with the **Aprilia DNA**.

Wrapped in distinctive Aprilia graphics, SR is equipped with a i-get 125 engine.

SR 125 – CUSTOMER REFERENCE

FOR YOUNG MALE RIDERS: mainly appealing for the Z Generation, they are students, young employees.

ENTERTAINING SOUL

The daily commuting is the first reason for using the vehicle, but the **young customers** ride it also in **their free time to have fun with friends**. Despite of their young age, **they are not beginners, more than the half of the current SR customers are not starters**.

THE DESIGN AND THE NEED TO BE DIFFERENT are the main consolidated SR purchase drivers.

“SPORTY. FUN.”





125 cc

ENGINE

Powerful 3V i-get Engine.

PERFORMANCE

CVT for smooth ride and quick acceleration.

BRAKES

Ø 220 mm ventilated front disc brake CBS in 125 cc

SUSPESION

Telescopic fork front suspension for superior handling.

Split seat for rider and passenger
Bag hook

“X” signature taillight

LED lighting system

Racing inspired exhaust with stylized carbon finish



Fully digital display with red light

Bar-end weights

Sporty handlebar with integrated turn indicator lights with carbon finished rear cover

All surface tyres to tackle busy city traffic or explore off-road trails

120/70 - 14"



SR MT 125cc - DETAILS

LED HEADLIGHTS



DIGITAL CLUSTER



RACING INFLUENCE MUFFLER



ALL-SURFACE TYRES



"X" DESIGN TAILLIGHT



SPORTY APRILIA DNA





SR MT 125 E5 - RANGE



Aprilia SR 125

- Made in India
- Product code: ESCV000TKA

• **Colour range**

-  Blue
-  White
-  Red
-  Grey

SR MT 125 E5 – TECH SPECS

<i>Engine</i>	<i>Single-cylinder, 4-stroke 3 valve</i>
<i>Engine capacity</i>	<i>124 cc</i>
<i>Bore x stroke</i>	<i>52 mm x 58.6 mm</i>
<i>Max. power</i>	<i>7.3 kW at 7.750 rpm</i>
<i>Max. Torque</i>	<i>9.7 Nm at 5.750 rpm</i>
<i>Consumption</i>	<i>2,4 l/100 km</i>
<i>CO₂ Emissions</i>	<i>56 g/km</i>
<i>Cooling</i>	<i>Air</i>
<i>Fuel system</i>	<i>Electronic injection</i>
<i>Lubrification</i>	<i>Wet sump</i>
<i>Transmission</i>	<i>Continuously variable transmission (CVT)</i>
<i>Clutch</i>	<i>Automatic centrifugal dry clutch</i>
<i>Front suspension</i>	<i>Hydraulic telescopic fork</i>
<i>Rear suspension</i>	<i>Helical spring and shock absorber</i>
<i>Front brake</i>	<i>Ø 220 mm disc with hydraulic control assisted by CBS</i>
<i>Rear brake</i>	<i>Ø 140 mm drum brake</i>
<i>Front tyre</i>	<i>120/70 - 14"</i>
<i>Rear tyre</i>	<i>120/70 - 14"</i>
<i>Length</i>	<i>1,985 mm</i>
<i>Width</i>	<i>735 mm</i>
<i>Wheelbase</i>	<i>1,365 mm</i>
<i>Fuel tank capacity</i>	<i>6 L</i>

aprilia[®]